

Worried about your freezer looking too much like an igloo? This 18 cu. ft. Amana® Upright Freezer helps prevent ice buildup with the Free-O-Frost[™] System. Use the Fast Freeze Option for when you have a lot to stock after your last shopping spree.

Top Features	Exterior		
Fast Freeze Setting	Defrost Drain		
DeepFreeze® Technology			
Revolutionary Insulation	Freezer Handle Type		
	Door Finish		
Manuals & Literature:	Handle Material		
Dimension Guide	Freezer Door Lock		

Use and Care Guide warranty Information

Amana® 18 cu. ft. Amana® Upright Freezer with Free-O-Frost[™] System

Exterior

AZF33X18DW

Available Finishes/Colours

AZF33X18DW White			
Dimensions			
Depth	29 1/8		
Height	66 3/4		
Width	30 1/4		
Configuration and Overview			
Freezer Type	Upright		
Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance		
Exterior			

No

Pocket Handle

Textured

Plastic

No

Door Opening	Right
Door Style	Contour
Hidden Hinge	Yes
Reversible Door	Yes
Details	
Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance
Freezer Door Lock	No
Door Style	Contour
Power On Indicator Light	No
Ice Maker Compatible	No

Controls

Control Type

Electronic

ΑΜΑΝΑ

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.



PRODUCT MODEL NUMBERS

AZF33X16D	AZF33X18D
AZM12X17D	AZB33X20D
AZB33X18D	AZF33X20D

Recommended grounding method

A 115 Volt, 60 Hz., AC only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your freezer be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


Water Pressure

A cold water supply with water pressure of between 30 and 120 psi (207 to 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, see "Troubleshooting" or call a licensed, qualified plumber.

Reverse Osmosis Water Supply


If a reverse osmosis water filtration system is connected to your cold water supply, the water pressure to the system needs to be a minimum of 40 to 60 psi (276 to 414 kPa).

PRODUCT DIMENSIONS



Model Number	Model Size	Reversible Door	Height (Overall) "A"	Height (Top of Cabinet) "B"	Width (Overall) "C"	Depth (Overall) "D"	Depth (Cabinet Only) "E"	Depth (Door Opens 90°) "F"
AZF33X16D	15.7 cu. ft.	Yes	60³⁄ " (154.3 cm)	60¹∕ " (153.0 cm)	30¹⁄ " (76.8 cm)	29¹/ " (74.0 cm)	24⁵⁄ " (62.6 cm)	557⁄ " (142.0 cm)
AZM12X17D	16.6 cu. ft.	Yes	66³∕ " (169.6 cm)	66¹⁄ " (168.3 cm)	30¹⁄ " (76.8 cm)	29¹/ " (74.0 cm)	24⁵⁄ " (62.6 cm)	55 ⁷ ⁄″ (142.0 cm)
AZB33X18D AZF33X18D	17.7 cu. ft.	Yes	66³∕ " (169.6 cm)	66¹⁄ " (168.3 cm)	30¹/" (76.8 cm)	29¹/ " (74.0 cm)	24⁵⁄ " (62.6 cm)	55 ⁷ ⁄." (142.0 cm)
AZB33X20D AZF33X20D	19.6 cu. ft.	Yes	66³∕ " (169.6 cm)	66¹⁄ " (168.3 cm)	33¹⁄ " (84.5 cm)	29¹/ " (74.0 cm)	24⁵⁄ " (62.6 cm)	58 ⁷ ⁄." (149.6 cm)

LOCATION REQUIREMENTS



IMPORTANT: Do not install the freezer near an oven, radiator, or other heat source, nor in a location where the temperature will fall below 40° F (5°C).

Check the strength of the floor before installing your freezer. It should hold the weight of a freezer fully loaded with food.

Allow at least 3"(7.5 cm) of air space at the top and on both sides of the freezer and 1"(2.5 cm) between the back of the freezer and the wall. If the freezer is to be against a wall, leave extra space on the hinge side so the door can open wider.

NOTE: This freezer may be installed side by side with another refrigerator or freezer. Allow for a 3" (7.5 cm) clearance at the top and sides and a $\frac{1}{4}"$ (0.64 cm) clearance between the appliances.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

F